



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

The Nomenclature Question.

I AM glad to see this question brought up as it is by Professor Underwood in the number of *Science* for Aug. 26; for we should have a uniform nomenclature in all departments of natural history. That such is not the case now is apparent to every student who is working in any of its various branches. But I do not wish to discuss the subject in general, but to touch upon one or two points. As to the question of priority, there should be some definite rules by which this should be governed, as has already been said in other of our scientific periodicals, and it will not profit by any rehashing it here, further than to say that among entomologists it is generally understood that the mere proposal of a name for a genus without characterizing it does not hold against a later name accompanied by a description.

As to the act of a writer who takes a species already named and puts it into a new genus with his own name after it instead of the name of the original describer, that is an outrage that has not been tolerated among entomologists for some time. I can see no valid reason for retaining such a system of nomenclature in any department of natural history, merely that some reviser may gain a little cheap notoriety.

A word as to the initial letter of specific names. It seems to me that the name of a species is a proper name as much as the name of a genus; in other words, it is the name of a group of plants or animals, and, if such, is as much entitled to a capital initial as is the name of the genus. Many of our leading entomologists have adopted this view and begin all specific names with capitals; as, for instance, see Edwards's "Revised Catalogue of the Diurnal Lepidoptera of North America," 1884; Kirby's "Catalogue of Diurnal Lepidoptera," 1871 and 1877, etc. I believe it is the correct principle and follow it in all my work in natural history.

G. H. FRENCH.

Southern Illinois Normal, Aug. 30.

The Grand-Gulf Formation.

THIS has now become a clearly recognized division of the post-eocene geology of the Gulf States. No subdivisions of it have as yet been attempted in print, though more than three years have elapsed since the writer — then in the service of the U. S. Geological Survey — announced the first discovery of fossils on Pascagoula River and the two branches which form it, Leaf River and the Chickasawhay, near their junction. The exact locality of the largest deposit is Shell Bluff, just below Robert's Ferry and a few miles south-west of the post-office Vernal, in Greene County, Mississippi. It was then proposed to call it the Pascagoula formation, and to regard it as distinct from Dr. Hilgard's Grand-Gulf. Further developments and recent discoveries have confirmed me in this view. It was not at first accepted, because there is but the one witness, myself, and attempts to trace it westward and eastward failed to detect the same or similar fossiliferous beds on the Mississippi, on Pearl River, on the Alabama River, or on any of the smaller streams of these States. This kind of negative testimony would only go to restrict its extension, and not to overthrow the validity of the distinction if otherwise properly established.

Many facts, too numerous to be elaborated in this short paper, prove that the great Mississippi embayment had collateral branches in which the variations are too well defined to be disregarded. The Pascagoula embayment was one. And whilst the main body of the Grand-Gulf formation is of sand, sandy clays, and quartzites due to a fresh-water agency, in the Pascagoula formation it presents a marine aspect, where calcareous clays, more or less pure and with more or less distinct evidence of molluscan fossils, prevail. The boundaries of these two will not be attempted in this paper. Let us pass at once to some of the strongest and more recent proofs.

Of the shells discovered at Shell Bluff it may be said only one, the large oyster, could be clearly determined. The rest were in a condition so decayed and friable as to render their transportation in good condition impossible. But as I remember them, the oyster approached, yet differed from, the recent *O. Virginiana*, among other particulars, in its greater massiveness. Among the other

shells too rotten to be moved was one strongly similar to a *Gnathodon*, though it may turn out to be a *Maetra*. Another, and the most numerous, was a small shell somewhat resembling in size and outline the *Donax* so common on our beaches, but with less umbonal development, and with the distinctly visible lines of growth resembling *Venus*. The difficulty in this case as well as the other is that the hinge could not be clearly made out.

Borings for artesian wells at Biloxi and other places on the Mississippi coast, and quite recently at Mobile, Ala., solve the difficulty.

The Biloxi borings, among other things, brought up, from a depth in the neighborhood of 700 feet, fragments of a large oyster, which might well belong to that of Pascagoula, and a very easily recognized *Gnathodon*.

The boring at Mobile, from about the same depth and just above the water-bearing sands, has yielded similar bits of oyster, and a small shell, evidently the same as that of Pascagoula, and sufficiently preserved to be determined. It is a *Venus*, or very nearly allied to that genus, and if not already found elsewhere and named, the name *V. Mobilensis* is proposed for it.

Not having room to go further into detail, I wish clearly to say that I find evidence sufficient to establish the existence of a formation of deep-bedded gray clays of partially marine genesis, lying upon the water-bearing sands of the upper strata of the Grand-Gulf formation; that I have traced this clay from Pearl River, Miss., to Conecuh River, Ala.; that it constitutes the cover rendering artesian wells possible, and that it was for these clays that the name Pascagoula was proposed.

LAURENCE C. JOHNSON.

Meridian, Miss., Aug. 1.

European Origin of the Aryans.

My attention has been called to Dr. Brinton's note in *Science* for June 20 as to the claim of Omalius d'Halloy to have preceded Latham in calling in question the theory of the Asiatic origin of the Aryans. In 1890, when in his lectures on "Races and Peoples," Dr. Brinton advanced the claim of d'Halloy, I carefully read over Halloy's articles, as cited by Dr. Brinton on p. 146 of his book, and I came to the conclusion that d'Halloy was not acquainted with the theory he is said to have controverted. The dates confirm this conclusion. The articles in question were published in the Bulletins of the Belgian Academy during the years 1839 to 1844, and were recapitulated in 1848. The theory of the migration of the Aryans from central Asia first found definite expression in an article by Pott, buried in a volume of Ersch and Grüber's Encyclopædia, which was published in 1840, but it attracted no attention till taken up by Lassen in 1847, and by Jacob Grimm in 1848. This was the theory against which Latham contended, whereas d'Halloy's very confused and misty arguments seem to refer, if they refer to anything, to the Caucasian theory broached by Blumenbach in 1781, with the modifications proposed by Adelung in his Mithridates, 1806-1816.

I think, therefore, we are still justified in asserting that Latham was the first to question the comparatively modern theory that the Aryan race originated in the highlands of central Asia, a theory of which d'Halloy does not seem to have heard, and consequently in the second edition of my "Origin of the Aryans," published in 1892, I did not think it necessary to modify my former statements as to Latham's priority.

ISAAC TAYLOR.

Settrington, York, England.

Acid Prevention of Cholera.

In previous epidemics the value of sulphuric and sulphurous acids as preventives was demonstrated, and when Koch discovered his comma bacillus he also noted that its cultivation was possible only in alkaline media, and that acids destroyed it. In corroboration of these findings, Niemeyer, who wrote long before anything of this nature was known, records that the ileum, or lower small intestine, is the main seat of the pathological changes caused by cholera. This lower small intestine is the most alkaline and the farthest from the normally acid stomach. The large intestine, being acid, does not suffer.

In view of these discoveries it would be well to establish an acid condition of the system by ten or fifteen drops of sulphuric acid to the quart of water used as lemonade—the water previously boiled,—and observe if sour wines might not be better for those in the habit of drinking liquors, also as to whether gout and rheumatism, which are acid diatheses, conferred immunity.

S. V. CLEVENGER, M.D.

Chicago, Sept. 5.

Mars.

AT the present time, while theories and suggestions concerning the planet Mars are in order, it might be well to note that, on a study of Schiaparelli's chart of Mars, the systems of so-called canals resolve themselves, in many cases, into radiating groups of six, making hexagons, and giving the idea that the planet may be solidified into a mass with tendency to hexagonal crystallization, the "canals" being, for instance, fissures on the lines of the angles of crystallization. This would account for many of the peculiarities of their appearance, while in no way opposing the present existence of atmosphere, water, snow, ice, and vegetation on the planet.

C. W. KEMPTON.

Oro Blanco, Ariz., Aug. 25.

La Grippe.

THE name *La Grippe* as used to designate the influenza, which was epidemic over so large a part of the world during the past two or three years, seems to have had a curious origin. Dr. Grant, in an essay on the disease published in 1782, states that the French term *La Grippe* is derived from an insect of that name remarkably common in France during the previous spring, and which the people believed contaminated the atmosphere, and caused the disease. If this be true, what insect was it?

M. L. HOLBROOK.

New York, Aug. 29.

BOOK-REVIEWS.

A Journal of American Ethnology and Archaeology. Editor, J. WALTER FEWKES. Vol. II. Boston, Houghton, Mifflin & Co. 1892.

THIS volume is issued as one of the publications of the Hemenway South-western Archaeological Expedition, and embraces, I., A Few Summer Ceremonials at the Tusayan Pueblos, by J. Walter Fewkes; II., Natal Ceremonies of the Hopi Indians, by J. G. Owens; III., A Report on the Present Condition of a Ruin in Arizona Called Casa Grande, also by Dr. Fewkes.

Dr. Fewkes, the editor of the journal and the author of two of the contributions to this volume, has treated the subject of the Tusayan ceremonials with much greater success than were treated the Zuñi rites, to which he devoted much of the first volume.

The province of Tusayan, or so-called group of Moki Indian pueblos of north-eastern Arizona, owing to their remoteness from the demoralizing influence of the white-man's civilization, are among the most primitive of our aboriginal tribes, and Dr. Fewkes has made no mistake in abandoning the Zuñi field (to which he devoted his first field-season, and to which the attention of such workers as Mr. F. H. Cushing and Mrs. M. C. Stevenson had earlier been drawn) in order to apply all his energies to this interesting people. So far as ethnologic investigation has proved, the Tusayan group (excluding the Tewa village of Hano) is the only existing example of a nomadic people adopting a strictly pueblo life—for the Mokis, or Hopi, are a part of the great Shoshonean stock; cousins of the Utes, the Snakes, and the Comanches, and who, centuries ago, were disconnected from the main family and forced to these mesa fastnesses, where they erected communal structures of stone and mud, and cultivated corn, squashes, cotton, and other products in the sand-spread plains below.

Many of the ceremonials described by Dr. Fewkes in this volume have evidently been borrowed by the Tusayan from the

Reading Matter Notices.

Ripans Tabules: for torpid liver.

Ripans Tabules banish pain.

Societas Entomologica.

International Entomological Society, Zurich-Hottingen, Switzerland.

Annual fee, ten francs.

The Journal of the Society appears twice a month, and consists entirely of original articles on entomology, with a department for advertisements. All members may use this department free of cost for advertisements relating to entomology.

The Society consists of about 450 members in all countries of the world.

The new volume began April 1, 1892. The numbers already issued will be sent to new members.

For information address Mr. FRITZ RUHL, President of the Societas Entomologica, Zurich-Hottingen, Switzerland.

FOR SALE.

The Paleontological Collection of the late U. P. James, of Cincinnati, Ohio. Many type specimens and thousands of duplicates. For further information address

JOSEPH F. JAMES,

U. S. Department of Agriculture,

WASHINGTON, D. C.

POPULAR MANUAL OF VISIBLE SPEECH AND VOCAL PHYSIOLOGY.

For use in Colleges and Normal Schools. Price 50 cents Sent free by post by

N. D. C. HODGES, 874 Broadway, N. Y.

Exchanges.

[Free of charge to all, if of satisfactory character. Address N. D. C. Hodges, 874 Broadway, New York.]

Exchange.—I have the finest shells of *Anodonta corpulenta*, C'p'r, and *Suborbiculata*, Say, in the world. Will exchange for fresh water, land, and marine shells, in large or small quantities. Have also for exchange 50 varieties of fresh water and land shells from Spoon River, Ill. DR. W. S. STRODE, Lewistown, Ill.

To exchange for books on birds or insects, or for back volumes of *American Naturalist*: Ecker's "Anatomy of the Frog," Packard's "Guide," Guyot's "The Earth and Man," Rockhill's, "The Land of the Lamas," Parker's "Biology," Shoemaker's "Heredity, Health and Personal Beauty," Dexter's "The Kingdoms of Nature," all new. M. J. ELROD, Ill. Wes. Univ., Bloomington, Ill.

For Sale.—About 1087 volumes of the private library of Dr. Nicolás León, formerly director of the Museum at Morelia, embracing publications of special value for Mexico, like those of Bishop Zumárraga (16th century), of Sigüenza y Gongora, of Aleman, etc., the Missal of Spínola, all very scarce; manuscripts on the history of Michoacán and other Mexican States, on the Tarasco (the Indian language of Michoacán) and several works, of which the only copy known to exist is in this collection. Parties interested in the sale please address DR. NIC. LEÓN, Portal de Matamoras, Morelia, Mexico.

INDEXES

TO

Volumes XVII. and XVIII.

OF

SCIENCE

are in preparation, and will be issued at an early date.

Wants.

METALLURGICAL CHEMIST will give instruction in the metallurgy and chemical analysis of iron and steel. Complete or special courses applying to the manufacture of pig irons and steels, as well as to their uses. Address "METALLURGIST," care SCIENCE.

A GRADUATE of the University of Pennsylvania and a practical mineralogist of twenty years' experience desires to give his services and a cabinet of 25,000 specimens, all named, with about the same number of duplicates, in minerals, crystals, rocks, gems, fossils, shells, archaeological and ethnological specimens and woods to any institution desiring a fine outfit for study. The owner will increase the cabinet to 50,000 specimens in two years and will act as curator. Correspondence solicited from any scientific institution. J. W. HORTER, M.D., Ph.D., San Francisco, Cal., General P. O. Delivery.

WANTED.—A position as zoological artist in connection with a scientific expedition, institution or individual investigations. Experienced in microscopic and all scientific work. References given if desired. Address J. HENRY BLAKE, 7 Prentiss Place, N. Cambridge, Mass.

YOUNG MEN destined for a medical career may receive instruction in branches introductory thereto, at the same time, if desired, pursuing the so-called elementary medical studies. Advanced students can have clinical instruction, use of modern text books, etc. Will take one or two students into my family and office. Such must furnish unexceptionable references. Quizzing by mail. Address Dr. J. H. M., in care of 417 Adams Avenue, Scranton, Pa.

CHEMIST AND ENGINEER, graduate German Polytechnic, Organic and Analytical, desires a position in laboratory or chemical works. Address 213½ E. 7th Street, New York, care Levy.

A MAN, 36 years old, of extensive experience, having the degrees of A.M. and Ph.D., desires a first-class opening as a teacher of Zoölogy and kindred studies in a college or university. Can furnish numerous testimonials or references as to success and skill in most modern laboratory methods. Address E. W. D., Md. Agr. College, College Park, Md.

A JOHNS HOPKINS graduate (1892) desires a position as instructor in mathematics and physics. Address A. B. TURNER, Johns Hopkins University, Baltimore, Md.